

Documentation

HiPath 500, HiPath 3000, HiPath 5000

HiPath 4000

OpenStage 10 T

Quickstart Guide




Communication for the open minded

Siemens Enterprise Communications
www.siemens-enterprise.com

SIEMENS

Operation of your phone

Function and audio keys



Calling functions

Using codes








All communication system functions can be activated via codes.

Codes that activate functions are always preceded by the star key, whereas codes that deactivate/delete functions always start with the pound key.

Using function keys

Your service personnel can program the three function keys with frequently used functions. You can activate a function by simply pressing the relevant key (if permitted by the current situation).

Important operating procedures

- | | |
|--|--|
|  Lift the handset |  Enter number or code |
|  Replace the handset |  Conduct call |
|  Press the function key (if configured; ask your service personnel) | |
|  Ringtone/call waiting tone |  Next operating step |

HiPath 4000

In idle mode



Answering a call

Rejecting a call

   "Release"











Picking up call

   "Pickup"

Redialing a number

   "Last # Dial"

Programming external phone numbers on speed-dial keys

 "Store"    Code for "Store speed-dial"   Speed-dial key   External code + phone number   "Store"

Programming call forwarding

   Code for call forwarding   Destination phone number   

Deactivating call forwarding

 "Call Forward"

During a call with a station (A)

Switching to "open listening"



Consultation

"Transfer" ▷ Phone number of station B ▷ Station B ▷ "Transfer"
 ▷ Station A

Accepting call waiting

Call waiting ▷ "Push-Pull" ▷ Station B ▷ "Push-Pull" ▷ Station A

Start conference

"Transfer" ▷ Phone number of station B ▷ Station B ▷ Conference
 ▷ Stations A+B

Transferring a call with station B without consultation

"Transfer" ▷ Phone number of station B ▷

Transferring a call after consultation

"Transfer" ▷ Phone number of station B ▷ Station B ▷

HiPath 500, HiPath 3000, HiPath 5000

In idle mode

Answering a call



Rejecting a call




Targeted call pickup



Redialing a number



Programming external phone numbers on speed-dial keys



Programming call forwarding

"Call forwarding" ▷ / / Select forwarding type ▷ Destination phone number

Deactivating call forwarding





"Call forwarding"

During a call with a station (A)







Switching to "open listening"





Consultation

■ "Consult" ▷  Phone number of station B ▷  Station B ▷  "Consult"
▷  Station A




Start conference

■ "Consult" ▷  Phone number of station B ▷  Station B ▷  "Consult"
▷   def ▷  Stations A+B

Transferring a call with station B without consultation

■ "Consult" ▷  Phone number of station B ▷ 

Transferring a call after consultation

■ "Consult" ▷  Phone number of station B ▷  Station B ▷ 

Communication for the open minded

Siemens Enterprise Communications
www.siemens-enterprise.com

Copyright © Siemens Enterprise
Communications GmbH & Co. KG
Hofmannstr. 51
80200 München
Deutschland

Siemens Enterprise
Communications GmbH & Co. KG
is a Trademark Licensee of Siemens AG

Reference No:
A31003-S2000-U124-3-7619

The information provided in this document contains merely general descriptions or characteristics of performance which in case of actual use do not always apply as described or which may change as a result of further development of the products.

An obligation to provide the respective characteristics shall only exist if expressly agreed in the terms of contract. Availability and technical specifications are subject to change without notice. OpenScape, OpenStage and HiPath are registered trademarks of Siemens Enterprise Communications GmbH & Co. KG. All other company, brand, product and service names are trademarks or registered trademarks of their respective holders.